

CA-FC5-SH-MIC4 Product Description

This cable consists of a 5-pin latching connector on one end of a shielded cable and a 4-pin microconnector on the other end. This cable is used with several different products in our offerings, such as connecting US Digital's E4T (*https://www.usdigital.com/products/encoders/incremental/kit/e4t/*) or E8T miniature optical kit encoder (*https://www.usdigital.com/products/encoders/incremental/kit/e8t/*) to an interface product that accepts a 5-pin latching connector.




WARNING: This product can cause exposure to substances, such as *phthalate plasticizers*, known to the State of California to cause cancer and reproductive harm. For more information, go to oehha.ca.gov/proposition-65 (*https://oehha.ca.gov/proposition-65*).

Specifications



PIN-OUT



| 4-PIN SIDI | E | | 5-PIN SID | 5-PIN SIDE | | | |
|------------|-------------|--------|-----------|-------------|--------|--|--|
| Pin | Description | Color | Pin | Description | Color | | |
| 1 | +5VDC power | Red | 1 | Ground | Black | | |
| 2 | A Channel | Green | 2 | - | - | | |
| 3 | Ground | Black | 3 | A Channel | Green | | |
| 4 | B Channel | Yellow | 4 | +5VDC power | Red | | |
| | | | 5 | B Channel | Yellow | | |

Notes

• US Digital® warrants its products against defects in materials and workmanship for two years. See complete warranty (https://www.usdigital.com/company/warranty) for details.

Configuration Options

| CA-FC5-SH-MIC4 | - | First Connector | - | Cable Type | - | Second Connector | - | Length | |
|----------------|---|-----------------|---|------------|---|------------------|---|--------|--|
| | | FC5 | | SH | | MIC4 | | Length | |

PLEASE NOTE: This chart is for informational use only. Certain product configuration combinations are not available. Visit the CA-FC5-SH-MIC4 product page (*https://www.usdigital.com/products/CA-FC5-SH-MIC4*) for pricing and additional information.



info@usdigital.com sales@usdigital.com support@usdigital.com Toll Free: 800.736.0194 Worldwide: 360.260.2468 Support: 360.397.9999





info@usdigital.com sales@usdigital.com support@usdigital.com Toll Free: 800.736.0194 Worldwide: 360.260.2468 Support: 360.397.9999

Page: 3 of 3 4/25/2023 55962 CA-FC5-SH-MIC4